Canon
Delighting You Always

India

CR-120 / CR-120UV



Powerful multi-function cheque scanner with card-scanning capabilities

This high-performance cheque scanner delivers quality scanning at remarkable speed. It offers card scanning function that facilitates easy ID authentication especially at front counter as well as backend process environment.

Type	Sheetfed type cheque scanner	
Document feeding	Automatic / Non-separation	
Document sizes	Width:	60 - 108mm
	Length:	90 - 245mm
Document thickness and weight	0.08 - 0.20mm 64 - 157g/m^2	
Feeding capacity	15mm stack or 150 sheets (Output: 200 sheets)	
Scanning element	CMOS CIS	

Light source	RGB LED (CR-120 UV: UV LED + RGB LED)	
Scanning side	Simple / Duplex	
Scanning modes	Black and white, Fine Text Filtering, Error Diffusion	
	Grayscale:	256-level, 16-level
	Card Scan:	24-bit Color
Scanning resolutions	**Scan a cheque (Black and White / Grayscale):** Output: 100 x 100dpi, 120 x 120dpi, 150 x 150dpi, 200 x 200dpi, 240 x 240dpi, 300 x 300dpi **Scan a card (Color):** Output: 600 x 600dpi	
Scanning speeds (U.S. Cheques, 200dpi, all mode)	CR-120:	120cpm*1
	CR-120UV:	120cpm*1 120cpm (UV scan mode)
MICR / OCR	MICR:	E13B / CMC-7
	OCR:	E13B / OCR-A / OCR-B / Universal Character
OS	Windows Vista 32 bit & 64 bit Edition (SP2 or later) Windows 7 32 bit & 64 bit Edition (SP1 or later) Windows 8.1 32 bit & 64 bit Edition Windows 10 32 bit & 64 bit Edition Windows Server 2008R2 Windows Server 2012R2	
Interface	Hi-Speed USB 2.0 (Type-A x 1, Type B x 1)	
Useful functions	Auto Page Size Detection, Color Dropout/Enhancement, Fine Text Filtering, Imprinter, Border Removal, Edge Emphasis, Add-on, IQA, Contrast Adjustment, MOCR/MICR, Deskew, Color Deviation Correction, OCR, Shading Compensation, Scan Area Setting, Multistream	
Power requirements	AC100 - 120V (60Hz), AC220 - 240V (50 / 60Hz)	
Power consumption	CR-120 / 120UV:	Scanning:23W or less Sleep Mode:2.1W or less
Operating environment	Temperature	10 - 32.5℃
	Humidity:	20 - 80% RH
Dimensions (W x D x H)	170 x 238.2 x 203.6mm	
Weight	CR-120:	Approx. 3.2kg

	CR-120UV:	Approx. 3.2kg
Options / Consumables	Magnetic Swipe Reader, Exchange Roller Kit, Ink Disposal Tank, Ink cartridge *2	

Product Disclaimer

01. Prices, specifications, availability and terms of offers may change without notice.

02. Products / Services may be manufactured by and/or supplied to us by third party manufacturers / suppliers for distribution / resale (non-Canon brand products).

03. Prices above are maximum retail price (MRP) and may change without prior notice.

Copyright © 2026 Canon India Pvt Ltd. All rights reserved.

CONTACT CANON AUTHORIZED DEALER

Opposite Commercial Toyota, Old ITI Bareilly Road, Talli Haldwani-263139
Uttarakhand, India
Phone: 8057538493 / 6396310402
Email: Nitin.joshi@uttaranchalsales.in

Sales ? Installation ? Service Support